



- A. RACEWAY, JUNCTION BOXES, CABLE TRAYS ARE PROVIDED UNDER EXISTING BUILDING ELECTRICAL CONTRACTOR UNLESS OTHERWISE NOTED. VERIFY LOCATION IN FIELD.
- B. PROVIDE A BLANK COVER PLATE FOR ALL UNUSED JUNCTION BOXES.
- C. PROVIDE A BLANK INSERT FOR ALL UNUSED OPENINGS IN THE DATA/VOICE PLATES.

PLAN NOTES:

- 1 SEE DETAIL 15 ON SHEET T-11 FOR INFORMATION ON CABLING BETWEEN (IV) LOCATION AND T-1/C LOCATION.
- 2 PROVIDE T-1 CABLE IN EACH CABINET. SECURE PER MANUFACTURER'S RECOMMENDATIONS.
- 3 LOCATION OF (IV)-VIDEO DISTRIBUTION EQUIPMENT. (I)-TELEPHONE SYSTEM. (II)-DATA RACKS AND (IS)-SOUND SYSTEM. (JMF)
- 4 LOCATION OF LOF. EQUIPMENT.
- 5 PROVIDE SINGLE CABLE RECESSED BOX FOR DATA DROPS.
- 6 EXTENDING 18" CABLE TRAY AS SHOWN.
- 7 EXTENDING NEW 24" CABLE TRAY TO CORRIDOR.
- 8 EXTENDING GROUND MINIRAIL. PROVIDE COVER PLATES AS REQUIRED.

ROOM LEGEND "Q2"

ROOM NO.	ROOM NAME	AREA S.F.	CEILING HEIGHT
Q201	MEZZANINE	2043	---
Q202	MEZZANINE	159	---

