

DUNELAND SCHOOL CORPORATION

2020 FLOORING RENOVATION AT: LIBERTY INTERMEDIATE SCHOOL

50 WEST 900 NORTH, CHESTERTON, INDIANA 46304 TRIA PROJECT#: 19-065

ARCHITECT:

TRIA ARCHITECTURE, INC.

West Suburban Office: 901 McClintock Drive, Suite 100 Burr Ridge, Illinois 60527

South Suburban Office: 1820 Ridge Road, Suite 209 Homewood, Illinois 60430

Indiana Office: 436 Sand Creek Drive N, Suite 105 Chesterton, Indiana 46304

Company Main: 630.455.4500 Fax: 630.455.4040 www.TriaArchitecture.com

DRAWING INDEX

1.00 TITLE SHEET, SITE LOCATION MAP, INDEX, AND GENERAL BUILDING CODE REQUIREMENTS

ARCHITECTURAL:

OYERALL FIRST FLOOR PLAN (SHOWN FOR REFERENCE ONLY)

A0.10A FIRST FLOOR EXISTING PLAN - MODULE A
A0.10B FIRST FLOOR EXISTING PLAN - MODULE B
A0.10C FIRST FLOOR EXISTING PLAN - MODULE C

A9.00A FIRST FLOOR FINISH PLAN - MODULE A
A9.00B FIRST FLOOR FINISH PLAN - MODULE B
A9.00C FIRST FLOOR FINISH PLAN - MODULE C
A9.01A MEDIA CENTER FLOOR FINISH DIMENSION PLANS

A9.60 FINISH DETAILS

GENERAL BUILDING CODE REQUIREMENTS

BUILDING CODES REFERENCED:

2012 INTERNATIONAL BUILDING CODE WITH 2014 INDIANA AMENDMENTS

2006 INTERNATIONAL PLUMBING CODE 2ND EDITION AMENDED INDIANA 2012

2008 NATIONAL ELECTRICAL CODE WITH 2009 INDIANA AMENDMENTS

2012 INTERNATIONAL MECHANICAL CODE WITH 2014 INDIANA AMENDMENTS

2008 NATIONAL ELECTRICAL CODE WITH 2009 INDIANA AMENDMENTS

INDIANA ENERGY CONSERVATION CODE 2010

2012 INTERNATIONAL FIRE CODE WITH 2014 INDIANA AMENDMENTS

2012 INTERNATIONAL FUEL GAS CODE 2ND EDITION WITH 2014 INDIANA AMENDMENTS

OCCUPANCY CLASSIFICATION: EDUCATIONAL GROUP E

DESIGN FIRM REGISTRATION:

THOMAS R. SZURGOT INDIANA LICENSE NUMBER: #ARIØ800173

SCHOOL BOARD

BOARD PRESIDENT BRANDON KROFT

BOARD VICE PRESIDENT RONALD STONE

BOARD SECRETARY ALAYNA LIGHTFOOT POL

BOARD MEMBER JOHN MARSHALL

BOARD MEMBER TOM SCHNABEL

SUPERINTENDENT

DR. CHIP PETTIT

SITE LOCATION MAP




LIBERTY INTERMEDIATE SCHOOL


ISSUED FOR BID:


02/27/2020


TRIA ARCHITECTURE, INC. HEREBY EXPRESSLY RESERVES ALL COPYRIGHT AND OTHER PROPERTY RIGHTS PRESENT WITHIN THESE DOCUMENTS. REPRODUCTION, SALE, OR ALTERATION OF THESE DOCUMENTS IN WHOLE, OR A PORTION THERE OF, SHALL BE PROHIBITED WITHOUT PRIOR WRITTEN CONSENT OF TRIA ARCHITECTURE, INC.

COPYRIGHT 2020 TRIA ARCHITECTURE, INC.











- REFER TO EXISTING PLANS AND FLOOR FINISH PLANS FOR SCOPE OF WORK.
- OVERALL PLAN SHOWN FOR REFERENCE ONLY. REFER TO SPECIFICATIONS FOR MORE INFORMATION.

LEGEND




HATCH INDICATES AREAS EXCLUDED FROM SCOPE OF


WORK

CORPORATION FLOORII IV INTEI NORTH SCF **DUNEL AND** 2020 | LIBERT W. 900


46304

20









EXISTING PLAN GENERAL NOTES

- REFER TO FINISH FLOOR PLANS FOR SCOPE OF NEW WORK. FIELD VERIFY ALL EXISTING CONDITIONS. IN THE EVENT THAT AN ITEM NOT REMOVAL/DEMOLITION TO PROPERLY PERFORM CONTRACT WORK BUT NOT ADDITIONAL COST, PROVIDING THE CONDITION WAS VISIBLE DURING BIDDING.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CORING, CUTTING, PATCHING, INFILLING, REPAIRING, REFINISHING, AND REMOVAL/REPLACEMENT OF BUILDING CONSTRUCTION REQUIRED TO ACCOMMODATE THE INSTALLATION OR REMOVAL OF THEIR WORK. ALL PATCHING, REPAIRING, AND REFINISHING SHALL BE PERFORMED BY THOSE REGULARLY INVOLVED IN THAT TRADE AND SHALL MATCH THE ADJACENT CONSTRUCTION.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK NOT SCHEDULED TO BE REMOVED FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- THE OWNER HAS FIRST RIGHT OF REFUSAL FOR ANY MATERIAL, EQUIPMENT OR
- EXISTING FLOOR FINISH TO REMAIN, UNLESS NOTED OTHERWISE
- IN ALL AREAS WHERE FLOORING IS NOTED TO BE DEMOLISHED, PROVIDE MOISTURE BARRIER SYSTEM AS DETAILED IN SPECIFICATIONS.

ABBREVIATIONS

(NOT ALL ABBREVIATIONS WILL BE REFERENCED ON ALL SHEETS)

CPT CRT CT ETR N.I.C. RBB CARPET NOT IN CONTRACT RUBBER BASE CONCRETE (SEALED) TRZ TERRAZZO CERAMIC TILE VINYL COMPOSITE TILE VERIFY IN FIELD EXISTING TO REMAIN LUXURY VINYL TILE


EXISTING FLOOR FINISH LEGEND

- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION

EXISTING PLAN REFERENCE NOTES

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)

- EXISTING WALL CONSTRUCTION TO REMAIN.
- EXISTING DOOR AND FRAME TO REMAIN.
- EXISTING CASEWORK TO REMAIN. EXISTING MECHANICAL EQUIPMENT TO REMAIN.
- EXISTING LOCKERS TO REMAIN.
- EXISTING COLUMN TO REMAIN.
- EXISTING FLOORING TO REMAIN.
- UNDER BASE BID EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CORRIDORS AND VESTIBULE TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- UNDER ALTERNATE BID #1 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CLASSROOMS TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- 10. UNDER ALTERNATE BID #2 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN MEDIA CENTER AREA TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- EXISTING THRESHOLD TO BE REMOVED.
- EXISTING TRANSITION STRIP TO BE REMOVED.
- ALTERNATE BID #2 TRANSITION STRIP/ THRESHOLD TO BE REMOVED.



KEY PLAN



MOL

:ORPORA


전


AND

FLOORII 'Y INTE NORTH,

2020 LIBER 7. 900

46304





EXISTING PLAN GENERAL NOTES

- REFER TO FINISH FLOOR PLANS FOR SCOPE OF NEW WORK.
 FIELD VERIFY ALL EXISTING CONDITIONS. IN THE EVENT THAT AN ITEM NOT SHOWN ON THE DRAWINGS CONFLICTS WITH WORK UNDER THIS CONTRACT, CONTACT THE ARCHITECT PRIOR TO REMOVAL OF THAT ITEM. ITEMS SHOWN ARE INDICATED TO GIVE A GENERAL SCOPE OF WORK. ANY ITEMS REQUIRING REMOVAL/DEMOLITION TO PROPERLY PERFORM CONTRACT WORK BUT NOT SPECIFICALLY SHOWN, SHALL BE REMOVED BY THE CONTRACTOR AT NO ADDITIONAL COST, PROVIDING THE CONDITION WAS VISIBLE DURING BIDDING.
- 3. EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CORING, CUTTING, PATCHING, INFILLING, REPAIRING, REFINISHING, AND REMOVAL/REPLACEMENT OF BUILDING CONSTRUCTION REQUIRED TO ACCOMMODATE THE INSTALLATION OR REMOVAL OF THEIR WORK. ALL PATCHING, REPAIRING, AND REFINISHING SHALL BE PERFORMED BY THOSE REGULARLY INVOLVED IN THAT TRADE AND SHALL MATCH THE ADJACENT CONSTRUCTION.
- 4. PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK NOT SCHEDULED TO BE REMOVED FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- 5. THE OWNER HAS FIRST RIGHT OF REFUSAL FOR ANY MATERIAL, EQUIPMENT OR FIXTURE TO BE REMOVED
- EXISTING FLOOR FINISH TO REMAIN, UNLESS NOTED OTHERWISE.
- 1. IN ALL AREAS WHERE FLOORING IS NOTED TO BE DEMOLISHED, PROVIDE MOISTURE BARRIER SYSTEM AS DETAILED IN SPECIFICATIONS.

ABBREVIATIONS

(NOT ALL ABBREVIATIONS WILL BE REFERENCED ON ALL SHEETS)

CPT CARPET N.I.C. NOT IN CONTRACT
CRT CONCRETE (SEALED) RBB RUBBER BASE
CT CERAMIC TILE TRZ TERRAZZO
ETR EXISTING TO REMAIN VCT VINYL COMPOSITE TILE
LVT LUXURY VINYL TILE VIF VERIFY IN FIELD


EXISTING FLOOR FINISH LEGEND

- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION
- EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE TO BE REMOVED IN THEIR ENTIRETY PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
 - HATCHED AREA INDICATES WORK WITHIN OTHER MODULE OR AREAS EXCLUDED FROM SCOPE OF WORK


EXISTING PLAN REFERENCE NOTES

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)


- EXISTING WALL CONSTRUCTION TO REMAIN.
- 2. EXISTING DOOR AND FRAME TO REMAIN.
- 3. EXISTING CASEWORK TO REMAIN.4. EXISTING MECHANICAL EQUIPMENT TO REMAIN.
- 5. EXISTING LOCKERS TO REMAIN.
- . EXISTING COLUMN TO REMAIN. EXISTING FLOORING TO REMAIN.
- B. UNDER BASE BID EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CORRIDORS AND VESTIBULE TO BE REMOVED IN THEIR ENTIRETY PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- 9. UNDER ALTERNATE BID #1 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CLASSROOMS TO BE REMOVED IN THEIR ENTIRETY PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- 10. UNDER ALTERNATE BID #2 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN MEDIA CENTER AREA TO BE REMOVED IN THEIR ENTIRETY PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- II. EXISTING THRESHOLD TO BE REMOVED.
- 12. EXISTING TRANSITION STRIP TO BE REMOVED.
- 13. ALTERNATE BID $st\!2$ TRANSITION STRIP/ THRESHOLD TO BE REMOVED.




KEY PLAN










SCHOOL CORPORATION FLOORING RENOVATION AT: 'Y INTERMEDIATE SCHOOL NORTH, CHESTERTON, IN 46304

AND

DUNE

2020 LIBER 7. 900



EXISTING PLAN GENERAL NOTES

- REFER TO FINISH FLOOR PLANS FOR SCOPE OF NEW WORK. FIELD VERIFY ALL EXISTING CONDITIONS. IN THE EVENT THAT AN ITEM NOT REMOVAL/DEMOLITION TO PROPERLY PERFORM CONTRACT WORK BUT NOT ADDITIONAL COST, PROVIDING THE CONDITION WAS VISIBLE DURING BIDDING.
- EACH CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CORING, CUTTING, PATCHING, INFILLING, REPAIRING, REFINISHING, AND REMOVAL/REPLACEMENT OF BUILDING CONSTRUCTION REQUIRED TO ACCOMMODATE THE INSTALLATION OR REMOVAL OF THEIR WORK. ALL PATCHING, REPAIRING, AND REFINISHING SHALL BE PERFORMED BY THOSE REGULARLY INVOLVED IN THAT TRADE AND SHALL MATCH THE ADJACENT CONSTRUCTION.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK NOT SCHEDULED TO BE REMOVED FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- THE OWNER HAS FIRST RIGHT OF REFUSAL FOR ANY MATERIAL, EQUIPMENT OR
- EXISTING FLOOR FINISH TO REMAIN, UNLESS NOTED OTHERWISE
- IN ALL AREAS WHERE FLOORING IS NOTED TO BE DEMOLISHED, PROVIDE MOISTURE BARRIER SYSTEM AS DETAILED IN SPECIFICATIONS.

ABBREVIATIONS

(NOT ALL ABBREVIATIONS WILL BE REFERENCED ON ALL SHEETS)

CPT	CARPET	N.I.C.	NOT IN CONTRACT
CRT	CONCRETE (SEALED)	RBB	RUBBER BASE
CT	CERAMIC TILE	TRZ	TERRAZZO
ETR	EXISTING TO REMAIN	VCT	VINYL COMPOSITE TILE
LYŤ	LUXURY VINYL TILE	VIF	VERIFY IN FIELD


EXISTING FLOOR FINISH LEGEND

- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION
- BASE TO BE REMOVED IN THEIR ENTIRETY PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
 - HATCHED AREA INDICATES WORK WITHIN OTHER MODULE OR AREAS EXCLUDED FROM SCOPE OF WORK


EXISTING PLAN REFERENCE NOTES


(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)

- EXISTING WALL CONSTRUCTION TO REMAIN.
- EXISTING DOOR AND FRAME TO REMAIN.
- EXISTING CASEWORK TO REMAIN. EXISTING MECHANICAL EQUIPMENT TO REMAIN.
- EXISTING LOCKERS TO REMAIN.
- EXISTING COLUMN TO REMAIN.
- EXISTING FLOORING TO REMAIN.
- UNDER BASE BID EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CORRIDORS AND VESTIBULE TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- 9. UNDER ALTERNATE BID #1 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN CLASSROOMS TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- 10. UNDER ALTERNATE BID #2 EXISTING FLOOR FINISH, ALL ASSOCIATED ADHESIVE AND ASSOCIATED WALL BASE IN MEDIA CENTER AREA TO BE REMOVED IN THEIR ENTIRETY - PREPARE FLOOR/ WALL TO RECEIVE NEW MOISTURE MITIGATION SYSTEM, FLOOR FINISH AND WALL BASE.
- EXISTING THRESHOLD TO BE REMOVED.
- EXISTING TRANSITION STRIP TO BE REMOVED.
- ALTERNATE BID #2 TRANSITION STRIP/ THRESHOLD TO BE REMOVED.



KEY PLAN NOT TO SCALE








46304 ORPORA-Q 9 FLOORII Y INTE NORTH SCI AND 2020 F LIBERT W. 900 I

HON



FINISH PLAN GENERAL NOTES

- REFER TO SPECIFICATIONS FOR ADDITIONAL PRODUCT INFORMATION. MAKE EXISTING FLOOR SLAB SMOOTH AND FLAT TO FLOOR FINISH MANUFACTURER'S TOLERANCE
- WITH MATERIAL SUITABLE TO FLOOR FINISH. MANUFACTURER PRIOR TO INSTALLATION. ALL TRANSITIONS BETWEEN DISSIMILAR FLOORING MATERIALS ARE TO RECEIVE A NEW TRANSITION STRIP - REFER TO SHEET A9.60.
- PROVIDE 4" RUBBER WALL BASE AT ALL LOCATIONS TO RECEIVE NEW FLOORING UNLESS NOTED
- AT AREAS WHERE PATCHING OF WALL BASE IS REQUIRED FINISH TO MATCH ADJACENT IN MATERIAL, COLOR, HEIGHT, FINISH AND PROFILE.
- VERIFY ALL FLOOR TILE PATTERNS WITH ARCHITECT PRIOR TO BEGINNING WORK. CONTRACTOR TO FIELD VERIFY CONDITIONS AT EACH TRANSITION AND SIZE REDUCERS
- ALL NEW FLOORING SHALL BE STABLE, FIRM AND SLIP-RESISTANT AND SHALL COMPLY WITH
- ALL FLOOR DRAINS, CLEANOUT COVERS AND ELECTRICAL FLOOR DEVICES ARE TO BE FLUSH WITH
- 10. TRANSITIONS IN FLOOR FINISHES, COLORS OR PATTERNS ARE TO OCCUR AT THE CENTER OF DOORS
- REFER TO ALTERNATES SPECIFICATION SECTION #01230. AT ALL ALTERNATE BID FLOOR FINISH WORK, PROVIDE A RUBBER TRANSITION STRIP BETWEEN EXISTING FLOORING TO REMAIN UNDER BASE BID AND NEW FLOORING UNDER BASE BID

FURNITURE AND EQUIPMENT RELOCATION GENERAL NOTES

- OWNER TO REMOVE AND REINSTALL ALL LOOSE OFFICE AND CLASSROOM FURNITURE, OFFICE AND CLASSROOM SUPPLIES, ELECTRONIC EQUIPMENT, LIBRARY BOOKS, PICTURES, TACK BOARDS AND MARKER BOARDS UNLESS NOTED OTHERWISE.
- ALL BUILT-IN CASEWORK IN CLASSROOMS, MEDIA CENTER AND CORRIDOR TO REMAIN. ITEMS TO BE REMOVED AND REINSTALLED BY CONTRACTOR SHALL BE STORED ON SITE -CONTRACTOR TO COORDINATE MOVING SCOPE WITH ABATEMENT CONTRACTOR'S ABATEMENT SCHEDULE PRIOR TO BEGINNING ANY WORK.

FINISH LEGEND


- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION CONTRACTOR TO REPAIR ANY AFFECTED AREAS AT NO COST TO OWNER - MATCH ADJACENT FINISH IN MATERIAL, COLOR, TEXTURE AND SIZE.
- HATCH INDICATES WORK WITHIN OTHER MODULE OR AREAS EXCLUDED FROM SCOPE
- LVT STAGGERED PATTERN (50% MEDIUM GRAY/ 35% DARK GRAY/ 15% LIGHT GRAY RANDOM MIX OF THREE COLORS)
 - LVT-1 LUXURY VINYL TILE (MEDIUM GRAY COLOR) LVT-2 - LUXURY VINYL TILE (DARK GRAY COLOR)

 - LVT-3 LUXURY VINYL TILE (LIGHT GRAY COLOR)
 - CPT-1 24"X24" WALK OFF TYPE CARPET TILE
 - NOTE: REFERENCE SPECIFICATIONS FOR MORE FINISH AND INSTALLATION INFORMATION.


FINISH PLAN REFERENCED NOTE

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS,

- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #1. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #2. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP
- FLOOR FINISH AND WALL BASE IN VESTIBULES TO BE PROVIDED UNDER ALTERNATE BID #3. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- PROVIDE 8" WALL BASE AT COLUMN.
- EXISTING CASEWORK PROVIDE WALL BASE AS REQUIRED.







HON

ORPOR/

0

9


AND

DUNE


46304

TY INTERMEDIATE SCHOOL
NORTH, CHESTERTON, IN 4

2020 LIBER 7. 900



KEY PLAN NOT TO SCALE



FINISH PLAN GENERAL NOTES

- REFER TO SPECIFICATIONS FOR ADDITIONAL PRODUCT INFORMATION.
- MAKE EXISTING FLOOR SLAB SMOOTH AND FLAT TO FLOOR FINISH MANUFACTURER'S TOLERANCE WITH MATERIAL SUITABLE TO FLOOR FINISH. MANUFACTURER PRIOR TO INSTALLATION.
- ALL TRANSITIONS BETWEEN DISSIMILAR FLOORING MATERIALS ARE TO RECEIVE A NEW TRANSITION STRIP - REFER TO SHEET A9.60.
- PROVIDE 4" RUBBER WALL BASE AT ALL LOCATIONS TO RECEIVE NEW FLOORING UNLESS NOTED OTHERWISE - REFER TO DETAIL 6/49.60.
- 5. AT AREAS WHERE PATCHING OF WALL BASE IS REQUIRED FINISH TO MATCH ADJACENT IN MATERIAL, COLOR, HEIGHT, FINISH AND PROFILE.
- 6. VERIFY ALL FLOOR TILE PATTERNS WITH ARCHITECT PRIOR TO BEGINNING WORK. CONTRACTOR TO FIELD VERIFY CONDITIONS AT EACH TRANSITION AND SIZE REDUCERS ACCORDINGLY.
- 8. ALL NEW FLOORING SHALL BE STABLE, FIRM AND SLIP-RESISTANT AND SHALL COMPLY WITH SECTION 400.10(a)5 OF THE STATE OF ILLINOIS ACCESSIBILITY CODE.
- ALL FLOOR DRAINS, CLEANOUT COVERS AND ELECTRICAL FLOOR DEVICES ARE TO BE FLUSH WITH FINISHED FLOORING.
- 10. TRANSITIONS IN FLOOR FINISHES, COLORS OR PATTERNS ARE TO OCCUR AT THE CENTER OF DOORS UNLESS NOTED OTHERWISE.
- REFER TO ALTERNATES SPECIFICATION SECTION #01230. AT ALL ALTERNATE BID FLOOR FINISH WORK, PROVIDE A RUBBER TRANSITION STRIP BETWEEN EXISTING FLOORING TO REMAIN UNDER BASE BID AND NEW FLOORING UNDER BASE BID

FURNITURE AND EQUIPMENT RELOCATION GENERAL NOTES

- OWNER TO REMOVE AND REINSTALL ALL LOOSE OFFICE AND CLASSROOM FURNITURE, OFFICE AND CLASSROOM SUPPLIES, ELECTRONIC EQUIPMENT, LIBRARY BOOKS, PICTURES, TACK BOARDS AND MARKER BOARDS UNLESS NOTED OTHERWISE.
- ALL BUILT-IN CASEWORK IN CLASSROOMS, MEDIA CENTER AND CORRIDOR TO REMAIN.
- ITEMS TO BE REMOVED AND REINSTALLED BY CONTRACTOR SHALL BE STORED ON SITE -CONTRACTOR TO COORDINATE MOVING SCOPE WITH ABATEMENT CONTRACTOR'S ABATEMENT SCHEDULE PRIOR TO BEGINNING ANY WORK.

FINISH LEGEND


- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION CONTRACTOR TO REPAIR ANY AFFECTED AREAS AT NO COST TO OWNER - MATCH ADJACENT FINISH IN MATERIAL, COLOR, TEXTURE AND SIZE.
- HATCH INDICATES WORK WITHIN OTHER MODULE OR AREAS EXCLUDED FROM SCOPE OF WORK
- LVT STAGGERED PATTERN (50% MEDIUM GRAY/ 35% DARK GRAY/ 15% LIGHT GRAY RANDOM MIX OF THREE COLORS)
 - LVT-1 LUXURY VINYL TILE (MEDIUM GRAY COLOR) LVT-2 - LUXURY VINYL TILE (DARK GRAY COLOR)
 - LVT-3 LUXURY VINYL TILE (LIGHT GRAY COLOR)
 - CPT-I 24"X24" WALK OFF TYPE CARPET TILE
 - DIRECTION OF TILE

NOTE: REFERENCE SPECIFICATIONS FOR MORE FINISH AND INSTALLATION INFORMATION.


FINISH PLAN REFERENCED NOTE

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS.

- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #1. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #2. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- FLOOR FINISH AND WALL BASE IN VESTIBULES TO BE PROVIDED UNDER ALTERNATE BID #3. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- PROVIDE 8" WALL BASE AT COLUMN.
- 5. EXISTING CASEWORK PROVIDE WALL BASE AS REQUIRED.



KEY PLAN NOT TO SCALE





HON

ORPOR/

0

9

AND


46304


ING RENOVATION A ERMEDIATE SCHOOL H, CHESTERTON, IN

FLOORII Y INTE NORTH

2020 LIBER⁻ 7. 900







FINISH PLAN GENERAL NOTES

- REFER TO SPECIFICATIONS FOR ADDITIONAL PRODUCT INFORMATION.
- MAKE EXISTING FLOOR SLAB SMOOTH AND FLAT TO FLOOR FINISH MANUFACTURER'S TOLERANCE WITH MATERIAL SUITABLE TO FLOOR FINISH. MANUFACTURER PRIOR TO INSTALLATION.
- ALL TRANSITIONS BETWEEN DISSIMILAR FLOORING MATERIALS ARE TO RECEIVE A NEW TRANSITION STRIP - REFER TO SHEET A9.60.
- PROVIDE 4" RUBBER WALL BASE AT ALL LOCATIONS TO RECEIVE NEW FLOORING UNLESS NOTED OTHERWISE - REFER TO DETAIL 6/49.60.
- AT AREAS WHERE PATCHING OF WALL BASE IS REQUIRED FINISH TO MATCH ADJACENT IN MATERIAL, COLOR, HEIGHT, FINISH AND PROFILE.
- VERIFY ALL FLOOR TILE PATTERNS WITH ARCHITECT PRIOR TO BEGINNING WORK. CONTRACTOR TO FIELD VERIFY CONDITIONS AT EACH TRANSITION AND SIZE REDUCERS
- ACCORDINGLY. 8. ALL NEW FLOORING SHALL BE STABLE, FIRM AND SLIP-RESISTANT AND SHALL COMPLY WITH
- SECTION 400.10(a)5 OF THE STATE OF ILLINOIS ACCESSIBILITY CODE. ALL FLOOR DRAINS, CLEANOUT COVERS AND ELECTRICAL FLOOR DEVICES ARE TO BE FLUSH WITH
- 10. TRANSITIONS IN FLOOR FINISHES, COLORS OR PATTERNS ARE TO OCCUR AT THE CENTER OF DOORS UNLESS NOTED OTHERWISE.
- REFER TO ALTERNATES SPECIFICATION SECTION #01230. AT ALL ALTERNATE BID FLOOR FINISH WORK, PROVIDE A RUBBER TRANSITION STRIP BETWEEN EXISTING FLOORING TO REMAIN UNDER BASE BID AND NEW FLOORING UNDER BASE BID

FURNITURE AND EQUIPMENT RELOCATION GENERAL NOTES

- OWNER TO REMOVE AND REINSTALL ALL LOOSE OFFICE AND CLASSROOM FURNITURE, OFFICE AND CLASSROOM SUPPLIES, ELECTRONIC EQUIPMENT, LIBRARY BOOKS, PICTURES, TACK BOARDS AND MARKER BOARDS UNLESS NOTED OTHERWISE.
- ALL BUILT-IN CASEWORK IN CLASSROOMS, MEDIA CENTER AND CORRIDOR TO REMAIN.
- ITEMS TO BE REMOVED AND REINSTALLED BY CONTRACTOR SHALL BE STORED ON SITE -CONTRACTOR TO COORDINATE MOVING SCOPE WITH ABATEMENT CONTRACTOR'S ABATEMENT SCHEDULE PRIOR TO BEGINNING ANY WORK.

FINISH LEGEND

- ETR (EXISTING TO REMAIN) PROTECT EXISTING FLOORING DURING CONSTRUCTION CONTRACTOR TO REPAIR ANY AFFECTED AREAS AT NO COST TO OWNER - MATCH ADJACENT FINISH IN MATERIAL, COLOR, TEXTURE AND SIZE.
- HATCH INDICATES WORK WITHIN OTHER MODULE OR AREAS EXCLUDED FROM SCOPE
- LVT STAGGERED PATTERN (50% MEDIUM GRAY/ 35% DARK GRAY/ 15% LIGHT GRAY RANDOM MIX OF THREE COLORS)
- LVT-1 LUXURY VINYL TILE (MEDIUM GRAY COLOR) LVT-2 - LUXURY VINYL TILE (DARK GRAY COLOR)
 - LVT-3 LUXURY VINYL TILE (LIGHT GRAY COLOR)
- CPT-1 24"X24" WALK OFF TYPE CARPET TILE


DIRECTION OF TILE

NOTE: REFERENCE SPECIFICATIONS FOR MORE FINISH AND INSTALLATION INFORMATION.


FINISH PLAN REFERENCED NOTE


(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS.

- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #1. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- FLOOR FINISH AND WALL BASE IN ROOM TO BE PROVIDED UNDER ALTERNATE BID #2. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- FLOOR FINISH AND WALL BASE IN VESTIBULES TO BE PROVIDED UNDER ALTERNATE BID #3. BASE BID TO INCLUDE EXISTING FLOORING TO REMAIN AND PROVIDING NEW RUBBER TRANSITION STRIP BETWEEN EXISTING AND NEW FLOORING.
- PROVIDE 8" WALL BASE AT COLUMN.
- 5. EXISTING CASEWORK PROVIDE WALL BASE AS REQUIRED.

















HON

ORPOR/

46304







DUNELAND SCHOOL CORPORATION

2020 FLOORING RENOVATION AT:
LIBERTY INTERMEDIATE SCHOOL

50 W. 900 NORTH, CHESTERTON, IN 46304

O TO OHO CONTROL OF THE PART O





AR10800173
STATE OF

EXPIRES 12/01/2021



EXISTING CONCRETE -

SLAB TO BE


PREPARED FOR

FLOOR FINISH PER


RECOMMENDATIONS

4 TRANSITION DETAIL
3" = 1'-0"


MANUFACTURER'S




3 T3 - TRANSITION DETAIL
3 3" = 1'-0"



TYPICAL BASE DETAIL



5 T5 - TRANSITION DETAIL
3" = 1'-0"



EXPIRES 12/01/2021

CORPORATION

400

SCF

DUNEL AND

46304

RING RENOVATION AT: ERMEDIATE SCHOOL H, CHESTERTON, IN 463

FLOORII IV INTEL

2020 F LIBERT W. 900 I