

DUNELAND SCHOOL CORPORATION

2017 POOL RENOVATIONS AT:

CHESTERTON MIDDLE SCHOOL, 651 W. MORGAN AVENUE, CHESTERTON, INDIANA 46304

TRIA PROJECT#: 17-005

ARCHITECT:

TRIA ARCHITECTURE, INC.

West Suburban Office: 901 McClintock Drive, Suite 100 Burr Ridge, Illinois 60527

South Suburban Office: 1820 Ridge Road, Suite 209 Homewood, Illinois 60430

Phone: 630.455.4500 Fax: 630.455.4040 www.TriaArchitecture.com

M.E.P. CONSULTANT:

OAS, LLC.

769 Heartland Dr., Unit A Sugar Grove, Illinois 60554




ISSUED FOR BID AND PERMIT:

T1.00

REPRODUCTION, SALE, OR ALTERATION OF THESE DOCUMENTS IN WHOLE, OR A PORTION THERE OF SHALL BE PROHIBITED WITHOUT PRIOR WRITTEN

COPYRIGHT 2017 TRIA ARCHITECTURE, INC



GENERAL BUILDING CODE REQUIREMENTS

BUILDING CODES REFERENCED:

2012 INTERNATIONAL BUILDING CODE WITH 2014 INDIANA AMENDMENTS

2006 INTERNATIONAL PLUMBING CODE 2ND EDITION AMENDED INDIANA 2012

2008 NATIONAL ELECTRICAL CODE WITH 2009 INDIANA AMENDMENTS

2012 INTERNATIONAL MECHANICAL CODE WITH 2014 INDIANA AMENDMENTS

INDIANA ENERGY CONSERVATION CODE 2010

2012 INTERNATIONAL FIRE CODE WITH 2014 INDIANA AMENDMENTS

2012 INTERNATIONAL FUEL GAS CODE 2ND EDITION WITH 2014 INDIANA AMENDMENTS

OCCUPANCY CLASSIFICATION: EDUCATIONAL GROUP E


SUPERINTENDENT

DESIGN FIRM REGISTRATION: THOMAS R. SZURGOT INDIANA LICENSE NUMBER: #ARIØ800173

SCHOOL BOARD

MRS. KRISTIN KROEGER BOARD VICE PRESIDENT MR. JOHN MARSHALL BOARD SECRETARY MR. RONALD STONE BOARD MEMBER MR. MICHAEL TROUT BOARD MEMBER MR. BRANDON KROFT

DR. DAVID PRUIS



DRAWING INDEX

TI.00 TITLE SHEET, SITE LOCATION MAP, INDEX, AND GENERAL BUILDING CODE REQUIREMENTS

ARCHITECTURAL

AGØ.ØØ LEGEND PARTIAL EXISTING FIRST FLOOR PLAN PARTIAL EXISTING SECOND FLOOR PLAN PARTIAL EXISTING SECOND FLOOR REFLECTED

CEILING PLAN PARTIAL FIRST FLOOR PLAN

PARTIAL SECOND FLOOR PLAN PARTIAL SECOND FLOOR REFLECTED CEILING

PARTIAL EXISTING ROOF PLAN

EXISTING SECOND FLOOR PLAN - MECHANICAL EXHAUST AIR FIRST FLOOR PLAN - MECHANICAL FIRST FLOOR PLAN - SUPPLY AIR -MECHANICAL POOL MECHANICAL MEZZ EQUIPMENT ROOM SECTION & SECTION VIEW A-A -MECHANICAL SCHEDULES & NOTES MECHANICAL

DUCTSOX PLAN VIEW AND DETAILS MECHANICAL SYMBOLS & ABBREVIATIONS MECHANICAL

EXISTING FIRST FLOOR PLAN - LIGHTING -

LIGHTING ELECTRICAL

NEW WORK FIRST FLOOR PLAN LIGHTING -ELECTRICAL


FIRST & SECOND FLOOR PLANS POWER, SYSTEMS, &

SYMBOLS, NOTES, ABBREVIATIONS & SCHEDULES ELECTRICAL

Expires 12/31/2017

03/09/2017

RESERVES ALL COPYRIGHT AND OTHER PROPERTY CONSENT OF TRIA ARCHITECTURE, INC



	JRAL SYMBOLS AND ABB	KEVIATIONS	-				
????	SAFETY REFERENCE ROOM INFORMATION TAG		2'x4' RECESSED FLUORESCENT FIXTURE	AP	ACOUSTICAL PANEL	PTD	PAPER TOWEL DISPENSER
				BC9	BABY CHANGING STATION	PTTD	PAPER TOWEL TRASH DISPOSAL
???	SAFETY REFERENCE EXIT INFORMATION TAG	©	RECESSED DOWNLIGHT	CH	COAT HOOK	RBR	RUBBER
				CT	CERAMIC TILE	RBB	RUBBER BASE
^	SAFETY REFERENCE EGRESS PATH		HVAC SUPPLY	CMU	CONCRETE MASONRY UNIT	RBT	RUBBER TILE FLOORING
				CP	CONDENSATE PIPE	RD	ROOF DRAIN
	BREAK LINE		HVAC RETURN	CPT	CARPET	RH	ROOF HATCH
				CRT	CONCRETE	RTU	ROOFTOP UNIT
				CU	CONDENSING UNIT	RST	RUBBER STAIR TREADS AND RISERS
	WINDOW TAG		S.A.T. CEILING	DF	DRINKING FOUNTAIN	REF	REFRIGERATOR
				EF	EXHAUST FAN	SAT	SUSPENDED ACOUSTICAL TILE
	DOOR TAG		PLASTER OR GYP. BD.	ΕP	ELECTRICAL PENETRATION	S D	SOAP DISPENSER
				EQ.	EQUAL	SGT	STRUCTURAL GLAZED TILE
	NORTH ARROW			ETR	EXISTING TO REMAIN	SIM	SIMILAR
				EWC	ELECTRIC WATER CHILLER	SND	SANITARY NAPKIN DISPOSAL
×	SECTION TAG			EX	EXISTING	SNP	SANITARY NAPKIN DISPENSER
				EXP	EXPOSED	STL	STEEL
	ELEVATION TAG			FD	FLOOR DRAIN	TDU	TRASH DISPOSAL UNIT
				F.E.	FIRE EXTINGUISHER	TRZ	TERRAZZO
<u> </u>	DETAIL TAG / DRAWING TITLE			F.E.C.	FIRE EXTINGUISHER CABINET	TTD	TOILET TISSUE DISPENSER
				FP	FIRE PROTECTION	TV	TELEVISION
××	WALL TYPE TAG			GB	GRAB BAR	TYP	TYPICAL
				GL	GLAZING	UR	URINAL
				GP	GAS PIPING	YCT	VINYL COMPOSITE TILE
	COLUMN LINE TAG			GYP.	GYPSUM BOARD	Y.I.F.	YERIFY IN FIELD
				HC	HANDICAPPED ACCESSIBLE	٧P	VENT PIPE
D"	ELEVATION TAG (HEIGHT)			HM	HOLLOW METAL	WC	WATER CLOSET
				LAV	LAVATORY		
	REMODELING NOTE TAG			M.E.	MATCH EXISTING	w F	WASH FOUNTAIN
				М	MIRROR	WL C	WALL COVERING
	DEMOLITION NOTE TAG			MO	MASONRY OPENING		
	DEMOLITION NOTE TAG			MTL	METAL		
				MUA	MAKE-UP AIR		
	CASEWORK TAG			N.I.C.	NOT IN CONTRACT		
				ОН	OPPOSITE HAND		
×	ROOF INSULATION TAGS			PL	PLASTER		
				PRT	PORCELAIN TILE		
	ROOM NAME TAG			PT	PAINT		





46304


DUNELAND SCHOOL CORPORATION

2017 POOL RENOVATIONS AT:
CHESTERTON MIDDLE SCHOOL
MORGAN AVENUE, CHESTERTON, INDIANA









EXISTING FLOOR PLAN GENERAL NOTES

- REFER TO PROJECT MANUAL FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED IN DRAWINGS.
- 2. ALL CONTRACTORS SHALL REPORT ALL DISCREPANCIES OR DIMENSIONAL QUESTIONS TO THE ATTENTION OF THE ARCHITECT PRIOR TO INSTALLATION.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- 8. PROVIDE LINTELS ABOVE ALL PENETRATIONS, LOUVERS, ETC. IN MASONRY WALLS - REFER TO LINTEL SCHEDULE ON THIS SHEET - REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL LINTEL LOCATIONS REQUIRED DUE TO DUCT PENETRATIONS,
- 9. ALL DIMENSIONS SHOWN ARE NOMINAL.
- 10. COORDINATE ANY DIMENSIONAL CLARIFICATIONS WITH ARCHITECT PRIOR TO START OF CONSTRUCTION.
- 11. FIELD VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN FIELD PRIOR TO BIDDING. EXISTING FIELD CONDITIONS VISIBLE DURING BIDDING SHALL TAKE
- PRECEDENCE OVER DIMENSIONS SHOWN ON DRAWINGS. 12. CUT, CORE AND PATCH EXISTING SLAB AS REQUIRED TO INSTALL MECHANICAL WORK.

EXISTING FLOOR PLAN

REFERENCED NOTES

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)


REMOVE EXISTING CONCRETE SLAB INFILL AS REQUIRED FOR DUCTWORK. REFER TO MECHANICAL DRAWINGS.





CORPORATION POOL RENOVATIONS AT: TERTON MIDDLE SCHOOL VENUE, CHESTERTON, INI SCHOOL

2017 CHEST MORGAN A

DONE







EXISTING FLOOR PLAN GENERAL NOTES

- REFER TO PROJECT MANUAL FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED IN DRAWINGS.
- 2. ALL CONTRACTORS SHALL REPORT ALL DISCREPANCIES OR DIMENSIONAL QUESTIONS TO THE ATTENTION OF THE ARCHITECT PRIOR TO INSTALLATION.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- 4. PROVIDE LINTELS ABOVE ALL PENETRATIONS, LOUVERS, ETC. IN MASONRY WALLS - REFER TO LINTEL SCHEDULE - REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL LINTEL LOCATIONS REQUIRED DUE TO DUCT PENETRATIONS, ETC.
- 5. ALL DIMENSIONS SHOWN ARE NOMINAL.
- 6. COORDINATE ANY DIMENSIONAL CLARIFICATIONS WITH ARCHITECT PRIOR TO START OF CONSTRUCTION.
- FIELD VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN FIELD PRIOR TO BIDDING. EXISTING FIELD CONDITIONS VISIBLE DURING BIDDING SHALL TAKE PRECEDENCE OVER DIMENSIONS SHOWN ON DRAWINGS.
- 8. CUT, CORE AND PATCH EXISTING SLAB AS REQUIRED TO INSTALL MECHANICAL WORK.

EXISTING FLOOR PLAN REFERENCED NOTES




REMOVE EXISTING MASONRY AS REQUIRED FOR DUCTWORK. PROVIDE STEEL LINTEL ABOVE OPENING. REFER TO MECHANICAL DRAWINGS.

CORPORATION POOL RENOVATIONS AT: TERTON MIDDLE SCHOOL VENUE, CHESTERTON, INI SCHOOL DUNE










EXISTING CEILING PLAN GENERAL NOTES

- REFER TO PROJECT MANUAL FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED
- 2. ALL CONTRACTORS SHALL REPORT ALL DISCREPANCIES OR DIMENSIONAL QUESTIONS TO THE ATTENTION OF THE ARCHITECT PRIOR TO INSTALLATION.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- PROVIDE LINTELS ABOVE ALL PENETRATIONS, LOUVERS, ETC. IN MASONRY WALLS - REFER TO LINTEL SCHEDULE ON THIS SHEET - REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL LINTEL LOCATIONS REQUIRED DUE TO DUCT PENETRATIONS,
- 5. ALL DIMENSIONS SHOWN ARE NOMINAL.
- COORDINATE ANY DIMENSIONAL CLARIFICATIONS WITH ARCHITECT PRIOR TO START OF CONSTRUCTION.
- FIELD VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN FIELD PRIOR TO BIDDING. EXISTING FIELD CONDITIONS VISIBLE DURING BIDDING SHALL TAKE PRECEDENCE OVER DIMENSIONS SHOWN ON DRAWINGS.
- 8. CUT, CORE AND PATCH EXISTING SLAB AS REQUIRED TO INSTALL MECHANICAL WORK.


EXISTING CEILING PLAN REFERENCED NOTES




- EXISTING CEILING SYSTEM TO REMAIN MODIFIED AS REQUIRED FOR NEW CONSTRUCTION.
- 2. EXISTING LIGHTS TO BE REMOVED REFER TO ELECTRICAL DRAWINGS.
- 3. EXISTING LOUVERS REFER TO MECHANICAL DRAWINGS. 4. PAINT ENTIRE EXISTING CEILING SYSTEM -REFER TO
 - SPECIFICATIONS.


CORPORATION POOL RENOVATIONS AT: TERTON MIDDLE SCHOOL VENUE, CHESTERTON, IN SCHOOL











FLOOR PLAN GENERAL NOTES

- VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN
- ALL CONTRACTORS SHALL REPORT ALL DISCREPANCIES OR DIMENSIONAL QUESTIONS TO THE ATTENTION OF THE ARCHITECT PRIOR TO INSTALLATION.
- REFER TO PROJECT MANUAL FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED IN DRAWINGS.
- PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK SCHEDULED TO REMAIN FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.
- PATCH EXISTING CONSTRUCTION AT ALL LOCATIONS OF ITEMS SCHEDULED TO BE REMOVED. FINISH TO MATCH ADJACENT SURFACES IN MATERIAL AND TEXTURE.
- 6. PATCH, PAINT, AND CLEAN EXISTING WALLS, FLOORS, AND CEILINGS AT ITEMS SCHEDULED TO BE REMOVED.
- REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- REMOVE EXISTING WALL CONSTRUCTION AS REQUIRED TO INSTALL MECHANICAL AND ELECTRICAL WORK - PATCH WALLS AT REMOVED MECHANICAL AND ELECTRICAL EQUIPMENT.
- CUT, CORE AND PATCH SLABS (NEW AND EXISTING) AS REQUIRED TO INSTALL MECHANICAL AND ELECTRICAL WORK.

10. AT ALL MASONRY INFILL, TOOTH-IN NEW MASONRY IN WHOLE

- UNITS TO PROVIDE A FINISHED APPEARANCE. PATCH AND PAINT EXISTING WALL AT AREA OF REMOVED
- EQUIPMENT. POOL ROOM WALLS TO BE PAINTED BY ALTERNATED BID

FLOOR PLAN

REFERENCED NOTES

(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)


- MECHANICAL DUCTWORK REFER TO MECHANICAL DRAWINGS . SEAL ALL FLOOR AND WALL PENETRATIONS.
- 2. PAINT ALL EXPOSED NEW AND EXISTING CONCRETE MASONRY (NOT GLAZED UNITS) WALLS WITHIN POOL C-127 - REFER TO SPECIFICATIONS - IS BY ALTERNATE BID.





CORPORATION RENOVATIONS AT:
ON MIDDLE SCHOOL
E, CHESTERTON, IND

SCHOOL 2017 CHES' MORGAN A DUNE














LINTEL SCHEDULE

LINTEL NOTES

LOOSE LINTELS FOR NON-LOAD BEARING WALLS SHALL HAVE A MINIMUM END BEARING OF 8" AND SHALL BE THE FOLLOWING SIZES, UNLESS NOTED OTHERWISE (LINTEL SIZES GIVEN ARE FOR NEW MASONRY CONSTRUCTION ONLY ! SPANS NOTED ARE CLEAR SPANS):

6" WALLS:

UP TO 4'-0" SPAN $2-L3\frac{1}{2}"\times2\frac{1}{2}"\times\frac{5}{6}"$ LLV $2-L3\frac{1}{2}"\times2\frac{1}{2}"\times\frac{3}{8}"$ LLV 4'-0" TO 6'-4" SPAN

L32x32x6 UP TO 4'-0" SPAN OVER 4'-0" TO 6'-0" L5x32x3 LLV L6x3½x¾ LLV OVER 6'-0" TO 8'-0"

(2) $L5 \times 3\frac{1}{2} \times \frac{5}{16} SLV$ UP TO 4'-0" SPAN (2) L5x5x OVER 4'-0" TO 6'-0" $(2) L5x5x_{g}^{3}$ 0YER 6'-0" TO 8'-0"

ALL WALLS OVER 8'-0" TO 12'-0" W8x18 + 1/2 PLATE ON BOTTOM (PLATE TO BE ½" LESS THAN WALL WIDTH)

- PLATES ON LINTELS SHALL BE SHOP WELDED TO MEMBER W/ $\frac{1}{4}$ "x2" FILLET WELDS AT 12" O.C. STAGGERED.
- WELD TOGETHER ALL BACK-TO-BACK ANGLES.
- CONTRACTOR SHALL COORDINATE ALL REQUIRED OPENINGS IN NON-LOAD BEARING MASONRY WALLS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.

FLOOR PLAN

VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN



REFER TO PROJECT SPECIFICATIONS FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED IN DRAWINGS.

PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO OWNER.

PATCH EXISTING CONSTRUCTION AT ALL LOCATIONS OF ITEMS SCHEDULED TO BE REMOVED. FINISH TO MATCH ADJACENT SURFACES IN MATERIAL AND TEXTURE (NEW AND EXISTING).

PROVIDE LINTELS ABOVE ALL PENETRATIONS. IN MASONRY WALLS - REFER TO LINTEL SCHEDULE ON THIS SHEET - REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL LINTEL

LOCATIONS REQUIRED DUE TO DUCT PENETRATIONS, ETC. PATCH, PAINT, AND CLEAN EXISTING WALLS, FLOORS, AND CEILINGS AT ITEMS SCHEDULED TO BE REMOVED.

REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.

REMOVE EXISTING WALL CONSTRUCTION AS REQUIRED TO INSTALL MECHANICAL AND ELECTRICAL WORK - PATCH WALLS AT REMOVED MECHANICAL AND

ELECTRICALEQUIPMENT TO BE REMOVED. 10. VERIFY EXACT LOCATIONS OF EXISTING STRUCTURE, DUCTWORK AND OTHER OBSTRUCTIONS BELOW EXISTING SLAB AT ALL PLUMBING PENETRATIONS PRIOR TO START OF WALL

CONSTRUCTION WITHIN ROOM. CUT, CORE AND PATCH SLABS (NEW AND EXISTING) AS REQUIRED TO INSTALL PLUMBING, MECHANICAL AND ELECTRICAL WORK.

CONTRACTOR TO PATCH ALL HOLES IN EXISTING WALLS OF ROOMS TO BE FIRE RATED - FINISH TO MATCH EXISTING ADJACENT WALL CONSTRUCTION. AT RATED WALL CONSTRUCTION, PATCH WITH APPROPRIATE MATERIAL TO PROVIDE CONTINUITY OF FIRE RATING.

13. ALL DIMENSIONS SHOWN ARE NOMINAL

14. COORDINATE ANY DIMENSIONAL CLARIFICATIONS WITH ARCHITECT PRIOR TO START OF CONSTRUCTION.

15. POOL ROOM WALLS TO BE PAINTED BY ALTERNATE BID.

FLOOR PLAN REFERENCED NOTES

- TOOTH-IN NEW MASONRY AT OPENING IN WHOLE UNITS TO PROVIDE FINISHED OPENING - PAINT AND PROVIDE METAL TRIM AROUND DUCT PENETRATION TO MATCH DUCTWORK. PROVIDE STEEL LINTEL ABOVE OPENING. - REFER TO LINTEL SCHEDULE.
- PATCH OPENING TOOTH-IN NASONRY IN WHOLE UNITS MATCH ADJACENT WALL CONSTRUCTION IN MATERIAL, THICKNESS AND TEXTURE.
- 3. MECHANICAL SYSTEM AND DUCTWORK REFER TO MECHANICAL DRAWINGS. - PAINT

WORK AREA

- 4. NEW 4" CONCRETE UTILITY PAD.
- 5. PAINT ALL EXPOSED NEW AND EXISTING CONCRETE MASONRY (NOT GLAZED UNITS) WALLS WITHIN POOL C-127 - REFER TO SPECIFICATIONS - IS BY ALTERNATE BID.



ARCHITECTUR


CORPORATION RENOVATIONS ON MIDDLE SCHOE, CHESTERTON, SCHOOL


2017 CHES RGAN /

POOI TERT


LAND











REFLECTED CEILING PLAN **GENERAL NOTES**

- REFER TO MECHANICAL AND ELECTRICAL PLANS FOR ADDITIONAL CEILING MOUNTED DEVICES AND EQUIPMENT.
- REFER TO MECHANICAL AND ELECTRICAL PLANS FOR ADDITIONAL INFORMATION.
- 3. PAINT ALL EXPOSED DUCT WORK.
- 4. LIGHT FIXTURE ARE PROVIDED BY OWNER AND INSTALLED BY GENERAL CONTRACTOR.
- 5. ALL WALL MOUNTED LIGHT FIXTURES ABOVE THE BLEACHERS SHALL BE INSTALLED 15'-0" ABOVE POOL
- 6. WALL MOUNTED LIGHT FIXTURES TO BE INSTALLED 12'-0" ABOVE POOL DECK.
- 1. SUSPENDED LIGHT FIXTURES TO BE INSTALLED 17'-0 ABOVE
- POOL DECK. 8. POOL ROOM WALLS TO BE PAINTED BY ALTERNATE BID.

REFLECTED CEILING PLAN × REFERENCED NOTES



- NEW EXPOSED FABRIC DUCT SYSTEM BELOW NEW CEILING SYSTEM - REFER TO MECHANICAL DRAWINGS
- EXISTING CEILING SYSTEM TO BE PAINTED REFER TO SPECIFICATIONS
- 3. LIGHT FIXTURES PROVIDED BY OWNER AND INSTALLED BY CONTRACTOR - REFER TO ELECTRICAL DRAWINGS
- 4. PAINT ALL EXPOSED NEW AND EXISTING CONCRETE MASONRY (NOT GLAZED UNITS) WALLS - BY ALTERNATE
- 5. EDGE TRIM ALONG ENTIRE NEW CEILING PERIMETER.

LEGEND



EXISTING CEILING SYSTEM TO REMAIN



2'X4' SUSPENDED ACOUSTICAL TILE CEILING SYSTEM TO BE INSTALLED BELOW EXISTING WITH EDGE TRIM ALONG ENTIRE PERIMETER




LIGHT FIXTURES PROVIDED BY OWNER AND INSTALLED BY CONTRACTOR - REFER TO ELECTRICAL DRAWINGS



MECHANICAL DUCT - REFER TO MECHANICAL DRAWINGS

WORK AREA





CORPORATION


SCHOOL


POOL RENOVATIONS AT: STERTON MIDDLE SCHOOL AVENUE, CHESTERTON, INF













THYAC UNIT CURB DETAIL

1. ON ROOF CURBS ALL CORNERS TO BE FLASHED WITH 2 LAYERS OF UNCURED EPDM.



TYP. SPM ANCHOR STRIP DETAIL



NOTE: ROOF FRAMES REQ'D @ ALL OPENINGS LARGER THAN 1'-0" OR AS NOTED.

TYPICAL OPENING IN EXISTING ROOF DETAIL

ROOF GENERAL NOTES

REFER TO PROJECT MANUAL FOR PRODUCTS, MATERIALS, PROCEDURES AND ADDITIONAL INFORMATION NOT COVERED IN DRAWINGS.

PROTECT ALL EXISTING FINISHES, EQUIPMENT, AND ADJACENT WORK FROM DAMAGE DURING CONSTRUCTION. ANY DAMAGED FINISHES, EQUIPMENT, OR ADJACENT SURFACES SHALL BE REPAIRED OR REPLACED BY CONTRACTOR AT NO ADDITIONAL COST TO

3. FIELD VERIFY EXACT DIMENSIONS OF ALL EXISTING CONDITIONS IN FIELD PRIOR TO BIDDING. EXISTING FIELD CONDITIONS VISIBLE DURING BIDDING SHALL TAKE PRECEDENCE OVER DIMENSIONS OR SIZES SHOWN ON DRAWINGS.

4. PATCH EXISTING CONSTRUCTION AT ALL LOCATIONS OF ITEMS SCHEDULED TO BE REMOVED. FINISH TO MATCH ADJACENT SURFACES IN MATERIAL AND TEXTURE.

5. CONTRACTOR TO VERIFY DIMENSIONS, QUANTITIES AND CONDITIONS OF ALL DOORS IN FIELD.

6. EXISTING ROOF WARRANTY - FOR INFORMATION REGARDING EXISTING ROOF WARRANTIES, CONTACT THE SCHOOL'S ROOFING CONTRACTOR:

1. GLUTH BROTHERS ROOFING COMPANY, INC. PH: 219-844-5536

2. SCHOOL'S TREMCO ROOFING REPRESENTATIVE. DOUG COPLEY PH: 260-312-0483 NOTE: TREMCO CERTIFIES ALL ROOFING FOR THE DUNELAND SCHOOL DISTRICT

ROOF REFERENCED NOTES



(NOT ALL NOTES WILL BE REFERENCED ON ALL SHEETS)

MECHANICAL UNIT - REFER TO MECHANICAL DRAWINGS

CORPORATION RENOVATIONS AT: ON MIDDLE SCHOOL E, CHESTERTON, INDI SCHOOL POOL RETERTON 2017 CHES DONE

 $\left[\underset{\text{O'HIGGINS}}{\text{ADS}} \right]$





